



# Installation Manual-

BV B08124  
BV B08128

MOTIVATE  
YOUR LIFE !

## THANKS FOR WATCHING

Your feedback is invaluable to us and we would love to hear about your experience. Please take the time to leave us a review.
















## Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Item NO.:BV B08124 / BV B08128


## Hardware

NO.	Draw	QTY	NO.	Draw	QTY
A	 Screws Ø4x14mm	44	I	 Hinges (Internal hiding)	4
B	 Two-in-one connector	17	J	 Handles	2
C	 Two-in-one connector	17	K	 Screws M4x22mm	4
D	 Wood plug	4	L	 Anti-collision gasket	4
E	 Plastic anchor(Ø10mm)	4	M	 Screwdriver	1
F	 Screws for fix on the wall	4			
G	 Bracket (53x70x44mm)	2			
H	 Bracket (19x19x35mm)	2			


## Recommended tools




## Dimensions



Top View



Front View




Back View


## CARE CLEANING AND MAINTENANCE

- 1.Dust regularly with a soft , dry cloth.
- 2.Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
- 3.Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
- 4.The sink top is resilient, but care needs to be taken to preserve its appearance.
- 5.Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.


### Step 13




### Dimensions






### Finished






### Components




## Step 1

	x3
B	
	x3
C	
	x1
M	









Notes: Screw installation depth as shown




Attention: Cam lock arrow point to the steel rod.

## Step 2

	x3
B	
	x3
C	
	x2
D	
	x1
M	






Note: The D parts are used for these two holes





first step


second step

third step






## Step 11

	x4
E	
	
Tool	




## Step 12


	x4
F	
	
Tool	




## Step 9




## Step 10




### Step 3






### Step 4







## Step 5




	x2
G	
( $\varnothing 4 \times 14\text{mm}$ )	
	x12
A	
	
Tool	

## Step 7







	x4
I	
( $\varnothing 4 \times 14\text{mm}$ )	
	x24
A	
	
Tool	

You can adjust the doors by tightening or loosening the screws on the hinge. →








## Step 6



	x2
H	
( $\varnothing 4 \times 14\text{mm}$ )	
	x8
A	
	
Tool	

## Step 8



	x2
J	
(M4 x 22mm)	
	x4
K	
	x4
L	
	
M	