
ASSEMBLY INSTRUCTION N817P296129 N817P296126




Before Installation


Important-Please read these instructions fully before starting assembly

Thank you for purchasing this quality product.Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.


- •We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
- Please do not over tighten screws or bolts until the assembly is completed.
- •Keep children and animal away from the work area, small parts could choke if swallowed. Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficiently.

Cam Lock Assembly Instructions







Box 1: N817P296129




Box 1: N817P296129



Box 1: N817P296129




Box 2: N817P296126





Box 1: N817P296129


Φ6x35mm	Ф15x12mm	Ф6х30mm	
A x 53+3	B x 53+3	C x 16+2	D x 5
\$ \$200 \$	M3.5x14mm	M6x60mm	
E x 5	F x 64+3	G x 4	H x 1
M7x60mm	M4	M4x55mm	M4x35mm
J x 18	K x 1	L x 3	M x 49+2
		M4v20mm	M4x14mm
N x 4	O x 8	M4x20mm P x 8	Q x 16+1
Ф8х40mm			
Rx4	S x 2		
























Step 8










Step 9 3 Step 10 M x 2 C x 2 **Ф**15х10mm B x 2 B x 2 **Ф**6х30mm C x 2 M4x35mm

M x 2









Step 17 33 F x 16 32 M3.5x14mm F x 16









To adjust the vertical height.


Loosen the four screws "c" on both hinges. Two of them are usually in slotted holes which allows you to adjust up or down by a few mm. Then tighten back up.



To adjust depth.


Loosen screw "a" and adjust door,if the door can not be adjusted,please loosen screw "b" ,then try again. Tighten screw "a" and "b" .








To adjust side ways.


Turning the screw "b" on BOTH hinges on each door.
























x2





















Step 21 3 2 27 31 M3.5x14mm Fx6














































Step 26 3 2 M3.5x14mm F x 4

